



产品认证证书

中国节能认证

证书编号: CQC19701225500

发证日期: 2021年11月05日

有效期至: 2024年11月05日

委托人名称 安徽皖南电机股份有限公司
及注册地址 安徽省宣城市泾县泾川镇南华路 86 号
品牌 皖南电机

制造商名称 安徽皖南电机股份有限公司
及注册地址 安徽省宣城市泾县泾川镇南华路 86 号

生产企业名称 安徽皖南电机股份有限公司
及生产地址 安徽省宣城市泾县泾川镇南华路 86 号

产品名称和系列、规格、型号 隔爆型三相异步电动机
见附件

产品标准和技术要求 GB 18613-2020

认证模式 产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC31-461121-2021 认证规则的要求, 特此发证。

本证书为变更证书, 证书首次颁发日期: 2019 年 08 月 19 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

经中国合格评定国家认可委员会认可 CNAS C001-P

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心



<http://www.cqc.com.cn>

中国·北京·南四环西路188号9区 100070

电话: +86 10 83886666

JC 0227382



CERTIFICATE OF PRODUCT CERTIFICATION

CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC19701225500

Valid from: Nov.05,2021

Valid until:Nov.05,2024

NAME AND REGISTERED ADDRESS OF THE APPLICANT Anhui Wannan Electric Machine Co., Ltd
86, Nanhua Road, Jingchuan Town, Jingxian County, Anhui Province

BRAND NAME WNM

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER Anhui Wannan Electric Machine Co., Ltd
86, Nanhua Road, Jingchuan Town, Jingxian County, Anhui Province

NAME AND LOCATION OF THE FACTORY Anhui Wannan Electric Machine Co., Ltd
86, Nanhua Road, Jingchuan Town, Jingxian County, Anhui Province

PRODUCT NAME, MODEL AND SPECIFICATION YBX4 series explosion-proof induction motors
See Appendix

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS GB 18613-2020

TYPE OF CERTIFICATION SCHEMES Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of CQC31-461121-2021.

Date of original issued: Aug.19,2019

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



<http://www.cqc.com.cn>

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R. China

Tel: +86 10 83886666

JC 0227382



产品认证证书

中国节能认证

证书编号：CQC19701225500

第 1 页 共 6 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：227382

序号	型号	极数	电压 (V)	频率 (Hz)	额定功率 (kW)	绝缘 等级	防护 等级	工作制	能效 等级
1.	YBX4-80M1-2	2	380、660	50	0.75	F	IP55	S1	2
2.	YBX4-80M2-2	2		50	1.1	F	IP55	S1	2
3.	YBX4-80M2-4	4		50	0.75	F	IP55	S1	2
4.	YBX4-90S-2	2		50	1.5	F	IP55	S1	2
5.	YBX4-90S-4	4		50	1.1	F	IP55	S1	2
6.	YBX4-90S-6	6		50	0.75	F	IP55	S1	2
7.	YBX4-90L-2	2		50	2.2	F	IP55	S1	2
8.	YBX4-90L-4	4		50	1.5	F	IP55	S1	2
9.	YBX4-90L-6	6		50	1.1	F	IP55	S1	2
10.	YBX4-100L-2	2		50	3	F	IP55	S1	2
11.	YBX4-100L1-4	4		50	2.2	F	IP55	S1	2
12.	YBX4-100L2-4	4		50	3	F	IP55	S1	2
13.	YBX4-100L-6	6		50	1.5	F	IP55	S1	2
14.	YBX4-100L1-8	8		50	0.75	F	IP55	S1	2
15.	YBX4-100L2-8	8		50	1.1	F	IP55	S1	2
16.	YBX4-112M-2	2	380、660、 380/660	50	4	F	IP55	S1	2
17.	YBX4-112M-4	4		50	4	F	IP55	S1	2
18.	YBX4-112M-6	6		50	2.2	F	IP55	S1	2



中国质量认证中心





产品认证证书

中国节能认证

证书编号：CQC19701225500

第 2 页 共 6 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：227382

序号	型号	极数	电压 (V)	频率 (Hz)	额定功率 (kW)	绝缘 等级	防护 等级	工作制	能效 等级
19.	YBX4-112M-8	8	380、660、 380/660	50	1.5	F	IP55	S1	2
20.	YBX4-132S1-2	2		50	5.5	F	IP55	S1	2
21.	YBX4-132S2-2	2		50	7.5	F	IP55	S1	2
22.	YBX4-132S-4	4		50	5.5	F	IP55	S1	2
23.	YBX4-132S-6	6		50	3	F	IP55	S1	2
24.	YBX4-132S-8	8		50	2.2	F	IP55	S1	2
25.	YBX4-132M-4	4		50	7.5	F	IP55	S1	2
26.	YBX4-132M1-6	6		50	4	F	IP55	S1	2
27.	YBX4-132M2-6	6		50	5.5	F	IP55	S1	2
28.	YBX4-132M-8	8		50	3	F	IP55	S1	2
29.	YBX4-160M1-2	2	380、660、 380/660	50	11	F	IP55	S1	2
30.	YBX4-160M2-2	2		50	15	F	IP55	S1	2
31.	YBX4-160M-4	4		50	11	F	IP55	S1	2
32.	YBX4-160M-6	6		50	7.5	F	IP55	S1	2
33.	YBX4-160M1-8	8		50	4	F	IP55	S1	2
34.	YBX4-160M2-8	8		50	5.5	F	IP55	S1	2
35.	YBX4-160L-2	2		50	18.5	F	IP55	S1	2
36.	YBX4-160L-4	4		50	15	F	IP55	S1	2
37.	YBX4-160L-6	6		50	11	F	IP55	S1	2



中国质量认证中心





产品认证证书

中国节能认证

证书编号：CQC19701225500

第 3 页 共 6 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：227382

序号	型号	极数	电压 (V)	频率 (Hz)	额定功率 (kW)	绝缘 等级	防护 等级	工作制	能效 等级
38.	YBX4-160L-8	8		50	7.5	F	IP55	S1	2
39.	YBX4-180M-2	2		50	22	F	IP55	S1	2
40.	YBX4-180M-4	4		50	18.5	F	IP55	S1	2
41.	YBX4-180L-4	4		50	22	F	IP55	S1	2
42.	YBX4-180L-6	6		50	15	F	IP55	S1	2
43.	YBX4-180L-8	8		50	11	F	IP55	S1	2
44.	YBX4-200L1-2	2		50	30	F	IP55	S1	2
45.	YBX4-200L2-2	2		50	37	F	IP55	S1	2
46.	YBX4-200L-4	4		50	30	F	IP55	S1	2
47.	YBX4-200L1-6	6		50	18.5	F	IP55	S1	2
48.	YBX4-200L2-6	6		50	22	F	IP55	S1	2
49.	YBX4-200L-8	8		50	15	F	IP55	S1	2
50.	YBX4-225S-4	4		50	37	F	IP55	S1	2
51.	YBX4-225S-8	8		50	18.5	F	IP55	S1	2
52.	YBX4-225M-2	2		50	45	F	IP55	S1	2
53.	YBX4-225M-4	4		50	45	F	IP55	S1	2
54.	YBX4-225M-6	6		50	30	F	IP55	S1	2
55.	YBX4-225M-8	8		50	22	F	IP55	S1	2
56.	YBX4-250M-2	2		50	55	F	IP55	S1	2



中国质量认证中心





产品认证证书

中国节能认证

证书编号：CQC19701225500

第 4 页 共 6 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：227382

序号	型号	极数	电压 (V)	频率 (Hz)	额定功率 (kW)	绝缘 等级	防护 等级	工作制	能效 等级
57.	YBX4-250M-4	4	250	50	55	F	IP55	S1	2
58.	YBX4-250M-6	6		50	37	F	IP55	S1	2
59.	YBX4-250M-8	8		50	30	F	IP55	S1	2
60.	YBX4-280S-2	2		50	75	F	IP55	S1	2
61.	YBX4-280S-4	4		50	75	F	IP55	S1	2
62.	YBX4-280S-6	6		50	45	F	IP55	S1	2
63.	YBX4-280S-8	8		50	37	F	IP55	S1	2
64.	YBX4-280M-2	2		50	90	F	IP55	S1	2
65.	YBX4-280M-4	4		50	90	F	IP55	S1	2
66.	YBX4-280M-6	6		50	55	F	IP55	S1	2
67.	YBX4-280M-8	8		50	45	F	IP55	S1	2
68.	YBX4-315S-2	2		50	110	F	IP55	S1	2
69.	YBX4-315S-4	4		50	110	F	IP55	S1	2
70.	YBX4-315S-6	6		50	75	F	IP55	S1	2
71.	YBX4-315S-8	8		50	55	F	IP55	S1	2
72.	YBX4-315M-2	2		50	132	F	IP55	S1	2
73.	YBX4-315M-4	4		50	132	F	IP55	S1	2
74.	YBX4-315M-6	6		50	90	F	IP55	S1	2
75.	YBX4-315M-8	8		50	75	F	IP55	S1	2
76.	YBX4-315L1-2	2		50	160	F	IP55	S1	2



中国质量认证中心





产品认证证书

中国节能认证

证书编号：CQC19701225500

第 5 页 共 6 页


本证书及附件应同时使用，信息查验说明见证书页

纸号：227382

序号	型号	极数	电压 (V)	频率 (Hz)	额定功率 (kW)	绝缘 等级	防护 等级	工作制	能效 等级
77.	YBX4-315L2-2	2		50	200	F	IP55	S1	2
78.	YBX4-315L1-4	4		50	160	F	IP55	S1	2
79.	YBX4-315L2-4	4		50	200	F	IP55	S1	2
80.	YBX4-315L1-6	6		50	110	F	IP55	S1	2
81.	YBX4-315L2-6	6		50	132	F	IP55	S1	2
82.	YBX4-315L1-8	8		50	90	F	IP55	S1	2
83.	YBX4-315L2-8	8		50	110	F	IP55	S1	2
84.	YBX4-355S1-2	2		50	185	F	IP55	S1	2
85.	YBX4-355S2-2	2		50	200	F	IP55	S1	2
86.	YBX4-355S1-4	4		50	185	F	IP55	S1	2
87.	YBX4-355S2-4	4		50	200	F	IP55	S1	2
88.	YBX4-355S-6	6		50	160	F	IP55	S1	2
89.	YBX4-355S-8	8		50	132	F	IP55	S1	2
90.	YBX4-355M1-2	2		50	220	F	IP55	S1	2
91.	YBX4-355M2-2	2		50	250	F	IP55	S1	2
92.	YBX4-355M1-4	4		50	220	F	IP55	S1	2
93.	YBX4-355M2-4	4		50	250	F	IP55	S1	2
94.	YBX4-355M1-6	6		50	185	F	IP55	S1	2
95.	YBX4-355M2-6	6		50	200	F	IP55	S1	2
96.	YBX4-355M-8	8		50	160	F	IP55	S1	2



中国质量认证中心





产品认证证书

中国节能认证

证书编号：CQC19701225500

第 6 页 共 6 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：227382

序号	型号	极数	电压 (V)	频率 (Hz)	额定功率 (kW)	绝缘 等级	防护 等级	工作制	能效 等级
97.	YBX4-355L1-2	2		50	280	F	IP55	S1	2
98.	YBX4-355L2-2	2		50	315	F	IP55	S1	2
99.	YBX4-355L3-2	2		50	355	F	IP55	S1	2
100.	YBX4-355L4-2	2		50	375	F	IP55	S1	2
101.	YBX4-355L1-4	4		50	280	F	IP55	S1	2
102.	YBX4-355L2-4	4		50	315	F	IP55	S1	2
103.	YBX4-355L3-4	4		50	355	F	IP55	S1	2
104.	YBX4-355L4-4	4		50	375	F	IP55	S1	2
105.	YBX4-355L1-6	6		50	220	F	IP55	S1	2
106.	YBX4-355L2-6	6		50	250	F	IP55	S1	2
107.	YBX4-355L3-6	6		50	280	F	IP55	S1	2
108.	YBX4-355L4-6	6		50	315	F	IP55	S1	2
109.	YBX4-355L1-8	8		50	185	F	IP55	S1	2
110.	YBX4-355L2-8	8		50	200	F	IP55	S1	2
111.	YBX4-355L3-8	8		50	220	F	IP55	S1	2
112.	YBX4-355L4-8	8		50	250	F	IP55	S1	2



中国质量认证中心

